



SUPERIOR QUALITY

MIT CYCLE activates Bicycle Sources

>> BRAND MITCYCLE

MITCYCLE simply symbolizes bicycle products *Made in Taiwan*. Our team regards every order commitment as our critical mission. Fulfill our promises of producing superior quality bikes is our ultimate goal.


Our product line ranges from various cargo bikes, folding & electric bikes to specific bike wheel sets.

>> SEEK WORLDWIDE DISTRIBUTORS

 MIT CYCLE-軒登國際事業

 www.mitcycle.com

 886-37-747866 (Rep.)  mitcycle@seed.net.tw

 No.2-1, Sheling, Yuanli Township, Miaoli County 35872, Taiwan R.O.C.



MIT-V8

16" 8-Speed Compact Folder (Normal Gear)



* <i>Frame</i>	>> Mixture of hydraulic-forming alloy frame and Cr-Mo triangle – strengthen solidness >> Inter routing brake/derailleur cables - neat appearance
* <i>Fork</i>	>> Cr-Moly threadless - rigid material secures safe ride
* <i>Steering tube</i>	>> Ahead folding system - stable steering
* <i>Extra FD bracket</i>	>> Extra hanger - allow to be upgraded to double or triple chainrings easily
* <i>Rim</i>	>> Alloy double wall - enhancing wheel solidness
* <i>Tire</i>	>> 16" x1-3/8" high-pressure tire 55psi, with reflective stripes - durable and safe
* <i>Hub</i>	>> Sealed bearing front hub & B.B. - smooth performance & energy saving when speedy riding
* <i>Gear system</i>	>> Sram X.4 R/D / Sram 3.0 grip shifter for 8-speed
* <i>Crank set</i>	>> Alloy 1/2" *3/32" *52T single chainring
* <i>Net weight</i>	>> 12.3 KGS
* <i>Folded size</i>	>> 65*31*66cm (LxWxH)

PRO-BP01

02

16" 7-Speed Commute Folder (Inter Gear)



* Frame	>> Mixture of hydraulic-forming alloy frame and Cr-Mo triangle – strengthen solidness >> Inter routing brake/derailleur cables - neat appearance
* Fork	>> Cr-Moly threadless - rigid material secures safe ride
* Steering tube	>> Ahead folding system - stable steering
* Extra FD bracket	>> Extra hanger - allow to be upgraded to double or triple chainrings easily
* Rim	>> Alloy double wall - enhancing wheel solidness
* Tire	>> 16" x1-3/8" high-pressure tire 55psi, with reflective stripes - durable and safe
* Hub	>> Sealed bearing front hub & B.B. - smooth performance & energy saving when speedy riding
* Gear system	>> Shimano Nexus SG-7R50/ SL-7S10 inter 7-speed
* Crank set	>> Alloy 1/2" *3/32" *52T single chainring
* Net weight	>> 13.1 KGS
* Folded size	>> 65*31*66cm (LxWxH)

MIT-V8 外變速車款 16" 八速折疊通勤車



PRO-BP01 內變速車款 16" 七速折疊通勤車

MITCYCLE 三折折疊車特性

1. 新款車架可供內外變轉換雙用
2. 無牙式鉻鉬鋼前叉強化整體折疊車堅固性及騎乘安全性
3. 剎車及變速線為車架管內走線設計，提高折疊及收納時之整潔度
4. 標準款配備為單盤設計，貼心預留前變速取付，方便未來升級變速系統
5. 雙層輪圈增加車輪強韌度及耐用性
6. 前花鼓&五通碗均為培林式，騎乘加速時能平順不費力
7. 高壓胎及反光條在光線較暗或夜騎時增加安全係數
8. 收折簡便，方便攜帶，不佔空間，維修簡易
9. 車架及車手收折固定裝置，收納及攜帶便利
10. 附滾輪式貨架，收折後如同行李箱可方便推行或拖曳

MITCYCLE 三折折疊車規格

- 車架：前三角-液壓成型鋁管，後三角-鉻鉬鋼，強化主體強韌度
- 前叉：鉻鉬鋼，無牙式
- 車手立管：無牙式系統
- 輪圈：鋁 雙層式，加強韌度
- 前花鼓&五通碗組：培林式
- 輪胎：16 “*1-3/8” 高壓胎 安全反光條
- 齒盤：鋁 單盤 1/2” *3/32” *52T
- 折疊尺寸：65*31*66公分(長*寬*高)

MIT-V8 與 PRO-BP01 兩款之規格差異，僅在變速系統及重量不同 ~

- MIT-V8 >> Sram X.4 後變速器+ Sram 3.0 外變八速旋轉變把
淨重: 12.3公斤
- PRO-BP01 >> Shimano Nexus SG-7R50 變速系統+ SL-7S10 內變七速旋轉變把
淨重: 13.1公斤